

Subject to technical modification without notice. Typographical and other errors do not justify any claim for damages. Stand: 11/99 e Copyright © 1999 OKW Gehäusesysteme KG, Buchen, Germany (http://www.okw.com)

# **OKW**

## EURO CASES

#### YOUR ADVANTAGE

- · Quick and easy assembly. The EURO CASE has a modular construction that is assembled without the use of screws
- · Injection-moulded reinforcing ribs ensure that these conveniently light cases are provided with a high degree of torsional resistance and rigidity.
- · Side panels in three sizes for optional arrangements allow vertical assemblies in combination to be stacked together - depending on the space your electronic components need.
- · Any problems in ventilation are solved by snap-in panels with ventilation slots. These panels can be mounted instead of the closed panels.
- · Ergonomically convenient canting by tilt feet or robust handle, which is also applicable for transport.

#### STANDARD COLOURS

Case shells with side panels, snap-in panels and handle as one-coloured assembly in off-white, RAL 9002.

Side panels, handle and tilt feet pebble grey, RAL 7032 coloured for alternative combinations. See also order data of accessories Please refer to colour chart on page 214.

### MATERIAL

ARS (III. 94 HR) Also available in other materials on request. Please refer to the specifications on pages 215-217.











### RATIONAL, VERSATILE, MOBILE WITH HANDLE BAR

The EURO CASE has a modular construction that is assembled without the use of screws. The top and base shells, side panels and snap-in panels all have a strong clip together mechanism which can be dismantled using the special key provided.

It is possible to customize the EURO CASE to your own look by having the side panels and snap-in covers either moulded or painted in your own colours.

The EURO CASES are each available in three basic dimensions and in different heights.

#### APPLICATIONS

Excellent range of housings for all fields of electronics. e.g. peripheral equipment for computers, floppy disks, medical devices etc. Measuring and control logging.


- ① Case shell
- 2 Side panel
- 3 Snap-in panel without ventilation
- (4) Snap-in panel with ventilation
- (5) Snap-in panel with ventilation, with feet
- (6) Snap-in panel without ventilation, with feet

#### F M C

Cases marked with 4 are available with aluminium metallization on demand. The bonding of base and top shell is mainly performed via the evaporated front panel. See pages 207-209.


MODIFICATIONS AS PFR CUSTOMER'S REQUIREMENTS


Machining on modern CNC-controlled machines. Lacquering. Silk screen and tampo printing. See pages 210-213.











EURO CASE 63 TE, 2 HE



Any problems in ventilation are solved by snap-in panels with ventilation slots. These panels can either be mounted in the upper or the lower case shell, at front or rear.



EURO CASE 84 TE, 2 HE




# EURO CASE 42 TE

Detailed drawing available on demand in dwg or dxf format.




1 HE






1<sup>1</sup>/<sub>2</sub> HE






2 HE






3 HE











# EURO CASE 42 TE



ORDER DATA FOR EURO CASE 42 TE COMPLETE														
Version	ı		Supply	,									Part-No.	
Height- unit	Venti- lation	Colour combination	Shell 42 TE		anels 2 HE	1 HE for handle	2 HE for handle	Snap-in p without slots	oanels with slots	without slots with feet	with slots with feet	Handle	Comple without handle	ete case with handle
1		off-white	2	-	-	-	-	2	-	2	-	-	A 02 14 070	-
1		off-white	2	-	-	-	-	1	1	1	1	-	A 02 14 170	_
1		off-white	2	1	-	1	-	-	2	-	2	-	A 02 14 270	-
2 2		off-white off-white	2 2	2 -	-	2	= =	2 2	-	2 2	-	1	A 02 24 070 –	– A 02 24 470
2 2		off-white off-white	2 2	2 -	-	- 2	-	1	1	1	1 1	- 1	A 02 24 170 –	– A 02 24 570
2 2		off-white off-white	2 2	2	-	- 2	-	-	2 2	-	2 2	- 1	A 02 24 270	– A 02 24 670
3		off-white	2 2	-	2		- 2	2 2	-	2 2	-	- 1	A 02 34 070 –	– A 02 34 470
3		off-white	2 2	-	2		- 2	1 1	1 1	1	1 1	- 1	A 02 34 170 –	– A 02 34 570
3		off-white off-white	2 2	-	2		- 2	-	2 2	-	2 2	- 1	A 02 34 270	– A 02 34 670

UKDEK DATA	Colours:		Colour combination:		
PIECE PARTS	off-white	pebble grey	off-white	pebble grey/push- button off-white	off-white / push- button pebble grey
Shell 42 TE	A 01 14 170 🗲				
Side panel 0.5 HE Side panel 1 HE Side panel 2 HE	A 01 05 270 \$  A 01 10 270 \$  A 01 20 270 \$	A 01 05 280 \$  A 01 10 280 \$  A 01 20 280 \$			
Side panel 0.5 HE for handle mounting Side panel 1 HE for handle mounting Side panel 2 HE for handle mounting	A 01 06 270 \$  A 01 11 270 \$  A 01 21 270 \$	A 01 06 280 \$\( \) A 01 11 280 \$\( \) A 01 21 280 \$\( \)			
Snap-in panel without slots Snap-in panel with slots	A 01 14 370 A 01 24 370				
Snap-in panel without slots, with feet Snap-in panel with slots, with feet	A 01 34 370 A 01 44 370				
Handle			A 03 44 217	A 03 44 218	A 03 44 216
Tilt foot	A 03 50 007				

TO ACHIEVE ONE EURO CASE FROM PIECE PARTS, FOR A SPECIAL COMBINATION, ORDER:

ORDER DATA FOR FURO CASE 42 TE COMPLETE

- 2 Case shells
- 2 Side panels (if needed) 4 Snap-in panels 1 Handle (if needed)

- 2 Tilt feet (if needed)

- COMPLETE CASES
- = Version without ventilation slots

VERSION VENTILATION


- $\hfill \blacksquare$  = Version with ventilation slots at front, rear, top and base

 $\square$  = Version with ventilation slots at rear, top and base



# EURO CASE 63 TE

Detailed drawing available on demand in dwg or dxf format.



# EURO CASES

# EURO CASE 63 TE



#### ORDER DATA FOR FURO CASE 63 TE COMPLETE Supply Part-No. Height- | Venti-Shell Side panels Handle Colour combination Snap-in panels Complete case unit lation 63 TE 1 HE | 2 HE | 1 HE for | 2 HE for without with without with without with slots slots slots handle handle handle handle slots with feet with feet off-white 9 9 A 02 16 070 1 П 1 off-white 9 1 1 1 1 $\Box$ 1 off-white 9 2 A 02 16 270 A 02 26 070 2 off-white 9 9 9 9 П 2 off-white 2 2 2 2 1 П 9 off-white 9 9 1 1 1 1 A 02 26 170 $\Box$ off-white 2 9 2 1 1 1 1 2 off-white 2 2 2 2 off-white 9 2 9 9 9 1 3 off-white 9 9 9 A 02 36 070 9 П off-white 3 9 2 2 2 1 П off-white 3 2 1 П 3 off-white 9 9 1 1 1 1 1 2 3 off-white 2 2 2 A 02 36 270 3 off-white 2 2 2 2 1 A 02 66 070 off-white 9 2 6 2 2 П 6 off-white 9 9 1 1 4 1 1 $\Box$ off-white ORDER DATA Colours Colour combination: PIECE PARTS off-white pebble grey off-white pebble grey / push-button off-white off-white / push-button pebble grey A 01 16 170 # Shell 63 TF Side panel 0.5 HE Side panel 1 HE Side panel 2 HE Side panel 0.5 HE for handle mounting. Side panel 1 HE for handle mounting Side panel 2 HE for handle mounting A 01 21 270 🗲 Snap-in panel without slots Snap-in panel with slot Snap-in panel without slots, with feet A 01 36 370 Snan-in panel with slots, with feet A 03 46 318 A 03 46 316 Handle

TO ACHIEVE ONE EURO CASE

FROM PIECE PARTS,

FOR A SPECIAL COMBINATION, ORDER;

A 03 50 007

2 Case shells

Tilt foot

- 2 Side panels (if needed)
- 4 Snap-in panels
- 1 Handle (if needed) 2 Tilt feet (if needed)


VERSION VENTILATION COMPLETE CASES

- = Version without ventilation slots
- = Version with ventilation slots at rear, top and base
  - $\square$  = Version with ventilation slots at front, rear, top and base



# EURO CASE 84 TE

Detailed drawing available on demand in dwg or dxf format.



# EURO CASE 84 TE



#### ORDER DATA FOR FURO CASE 84 TE COMPLETE Supply Part-No. Height- | Venti-Shell Side panels Handle Colour combination Snap-in panels Complete case unit lation 84 TE 1 HE | 2 HE | 1 HE for | 2 HE for without with without with without with slots slots slots handle handle handle handle slots with feet with feet П 2 off-white 9 9 A 02 28 070 П 9 off-white 9 1 1 1 1 $\Box$ 2 off-white 9 2 П 3 off-white 9 9 9 9 П 3 off-white 2 2 2 2 1 П 3 off-white 9 9 1 1 1 1 $\Box$ off-white 3 9 2 1 1 1 1 3 off-white 2 2 2 2 off-white 3 9 2 9 9 1 off-white 9 9 9 A 02 48 070 4 9 П off-white 9 2 2 2 1 4 П A 02 48 170 off-white 4 2 1 П off-white 9 4 9 1 1 1 1 1 off-white 2 4 2 2 2 A 02 48 270 off-white 2 2 2 2 1 1 A 02 68 070 off-white 9 6 4 2 2 П 6 off-white 9 4 1 1 1 1 $\Box$ off-white ORDER DATA Colours: Colour combination: PIECE PARTS off-white pebble grey off-white pebble grey / push-button off-white off-white / pushbutton off-white A 01 28 170 Shell 84 TF Side panel 0.5 HE A.01 05 270 Side panel 1 HE Side panel 2 HE A 01 06 270 Side panel 0.5 HE for handle mounting Side panel 1 HE for handle mounting A 01 11 270 Side panel 2 HE for handle mounting A 01 21 270 Snap-in panel without slots Snap-in panel with slots A.01 38 370 Snap-in panel without slots, with feet Snan-in panel with slots, with feet A 03 48 417 A 03 48 418 A 03 48 416 Handle

TO ACHIEVE ONE FURO CASE FROM PIECE PARTS,

FOR A SPECIAL COMBINATION, ORDER;

2 Case shells

Tilt foot

- 2 Side panels (if needed)
- 4 Snap-in panels
- 1 Handle (if needed) 2 Tilt foot (iff needed)

A 03 50 007

VERSION VENTILATION COMPLETE CASES

- = Version without ventilation slots
- = Version with ventilation slots at rear, top and base
- = Version with ventilation slots at front, rear, top and base

# EURO CASE ACCESSORIES

#### TILT FOOT

Supply: 1 tilt foot. (order 2 per case)





#### APPLICATION

The tilt foot is used for canting the unit and is suitable for combination with snap-in panels with rubber feet. It simply snaps into the feet section and can be folded flath.



Part-No.

Version

ABS, off-white RAL 9002

#### 60 007 A


Side arms and mechanism glass-reinforced polyamide.

### Supply:

2 side arms.

1 aluminium section. 2 fastening screws.

HANDIF BAR





# APPLICATION

For canting and carrying the unit. Strong ratchet with 30° indexing.

Part-No.
A 03 44 217
A 03 46 317
A 03 48 417
A 03 44 218
A 03 46 318
A 03 48 418
A 03 44 216
A 03 46 316
A 03 48 416

Width	Dim. in 1	mm	Colour combination
TE	A	В	
42	260	294	off-white
63	367	401	off-white
84	473	507	off-white
42	260	294	pebble grey, push buttons off-white
63	367	401	pebble grey, push buttons off-white
84	473	507	pebble grey, push buttons off-white
42	260	294	off-white, push buttons pebble-grey
63	367	401	off-white, push buttons pebble-grey
84	473	507	off-white, push buttons pebble-grey

oad capacity:				
angle 400 N.				
angle 200 N.				
angle 350 N.				
angle 400 N.				

FRONT- AND REAR PANELS Of anodized aluminium, thickness 2 mm.

		R6.0	
		ĺ	
1_	L	) 	2.0
	_		

Front- and rear panels for case combinations with 0.5 HE side panels on demand.

l	Supply:
l	1 piece.
4	

Part-No.
A 03 14 270
A 03 54 270
A 03 24 270
A 03 34 270
A 03 16 370
A 03 26 370
A 03 36 370
A 03 66 370
A 03 28 470
A 03 38 470
A 03 48 470
A 03 68 470

For Case	Dim. in mm
	L B
42 TE 1 HE	250.8 46.3
42 TE 1.5 HE	250.8 68.5
42 TE 2 HE	250.8 90.7
42 TE 3 HE	250.8 135.2
63 TE 1 HE	357.8 46.3
63 TE 2 HE	357.8 90.7
63 TE 3 HE	357.8 135.2
63 TE 6 HE	357.8 268.6
84 TE 2 HE	464.3 90.5
84 TE 3 HE	464.3 135.0
84 TE 4 HE	464.3 179.3
84 TE 6 HE	464.3 268.1

152

Self-tapping screws for mounting PCBs and mounting plates see accessories pages 199-206.